Author Index of Volume 175

Andersson, P., 1
Ateshian, G.A., 167

Bachrach, N.M., 167
Burgess, I.C., 159

Cann, P., 177
Cheng, H.S., 209
Childs, T.H.C., 189
Cooper, D., 93

Dowson, D., 219
Dwyer-Joyce, R.S., 133

Evans, H.P., 17

Fisher, J., 219

Georges, J.-M., 59

Hall, R.M., 159
Hamdzah, H., 219
Harris, S.J., 51
Hills, D.A., 107
Holmberg, K., 1
Howard, P.S., 151
Hsu, S.M., 209

Ioannides, E., 133, 177
Ishibashi, A., 39

Jacobson, B., 177
Johnson, K.L., 81
Jones, D.A., 189

Kapoor, A., 81
Kato, K., 189
Kato, T., 143
Kimura, Y., 143
Klaus, E.E., 209

Lacey, a.P.I., 209
Lansdown, A.R., 25
Lee, H.L., 219
Lubrecht, A.A., 177
Ludema, K.C., 123

Mahmood, S., 189
Mazuyer, D., 59
McColl, I.R., 51
Medley, J.B., 9
Moore, A.J., 93
Morishita, S., 143
Mosleh, M., 151
Mow, V.C., 167

Nakano, K., 143

Park, K.-B., 123

Quinn, T.F.J., 195

Raadnui, S., 115
Rigney, D.A., 63
Roylance, B.J., 115

Sakurai, T., 71
Sayles, R.S., 133
Shen, M.C., 209
Snidle, R.W., 17
Sonoda, K., 39
Suh, N.P., 151

Tonck, A., 59
Tsujikawa, M., 51

Umehara, N., 189
Unsworth, A., 159

Waterhouse, R.B., 51
Williams, J.A., 81
Wroblewski, B.M., 159

Yoshida, K., 71

Zhang, B., 189

Subject Index of Volume 175

Abrasive wear
an investigation into the mechanisms of closed three-body abrasive wear, 133
Artificial joints
the effect of sliding velocity on the friction and wear of UHMWPE for use in total artificial joints, 219
Asperities
the lambda ratio — a critical re-examination, 177

Bone
the effects of a subchondral bone perforation on the load support mechanism within articular cartilage, 167
Boundary lubrication
mechano–chemical model: reaction temperatures in a concentrated contact, 209
Boundary regime
the effects of oxygen availability on the lubricating performance of a dimethyl silicone in the boundary regime, 25

Cartilage
the effects of a subchondral bone perforation on the load support mechanism within articular cartilage, 167
Ceramics
limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation, 1
Charnley prostheses
frictional characterisation of explanted Charnley hip prostheses, 159
Contacts
the lambda ratio — a critical re-examination, 177
mechano–chemical model: reaction temperatures in a concentrated contact, 209
Cracks
mechanics of fretting fatigue, 107
Cushion bearings
some background theory for the cushion bearing concept in joint replacement implants, 9

EHL films
limitations of thin films in EHD contacts with dispersed phase systems as lubricants, 71
EHL oil-film
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39
Elastohydrodynamic films
application of the ultra-thin elastohydrodynamic oil film thickness technique to the study of automotive engine oils, 93
Elastohydrodynamic lubrication
film thinning factor for rollers of finite width under elastohydrodynamic conditions, 17
the lambda ratio — a critical re-examination, 177
Electric fields
control of friction coefficient by applying electric fields across liquid crystal boundary films, 143
Engine oil
application of the ultra-thin elastohydrodynamic oil film thickness technique to the study of automotive engine oils, 93

Ferritic steel
oxidational wear modelling: Part II. The general theory of oxidational wear, 195
Fretting
fretting wear of a high-strength heavily work-hardened eutectoid steel, 51
mechanics of fretting fatigue, 107
Fretting fatigue
mechanics of fretting fatigue, 107
Friction
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39
interfacial friction of wetted monolayers, 59
control of friction coefficient by applying electric fields across liquid crystal boundary films, 143
control of friction, 151
frictional characterisation of explanted Charnley hip prostheses, 159

Hardness
the roles of hardness in the sliding behavior of materials, 63
Hip replacement
frictional characterisation of explanted Charnley hip prostheses, 159

Interfaces
interfacial friction of wetted monolayers, 59

Joint replacement implants
some background theory for the cushion bearing concept in joint replacement implants, 9
Joints
the effects of a subchondral bone perforation on the load support mechanism within articular cartilage, 167

Lambda ratio
the lambda ratio — a critical re-examination, 177
Liquid crystal films
control of friction coefficient by applying electric fields across liquid crystal boundary films, 143
Loading
the effects of a subchondral bone perforation on the load support mechanism within articular cartilage, 167
Lubricant films
the lambda ratio — a critical re-examination, 177
Lubricants
limitations of thin films in EHD contacts with dispersed phase systems as lubricants, 71
application of the ultra-thin elastohydrodynamic oil film thickness technique to the study of automotive engine oils, 93
control of friction, 151
Lubrication
the effects of oxygen availability on the lubricating performance of a dimethyl silicone in the boundary regime, 25

Magnetic fluid grinding
magnetic fluid grinding mechanics, 189
Monolayers
interfacial friction of wetted monolayers, 59

Oil
application of the ultra-thin elastohydrodynamic oil film thickness technique to the study of automotive engine oils, 93
Oxidational wear
oxidational wear modelling: Part II. The general theory of oxidational wear, 195
Oxygen
the effects of oxygen availability on the lubricating performance of a dimethyl silicone in the boundary regime, 25

Particles
an investigation into the mechanisms of closed three-body abrasive wear, 133
Pin-on-disc testing
the effect of sliding velocity on the friction and wear of UHMWPE for use in total artificial joints, 219
Pitting
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39
Plasticity
evaluation of the plasticity index as a scuffing criterion, 123
Ploughing
control of friction, 151
Polishing
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39
Polymers
the effect of sliding velocity on the friction and wear of UHMWPE for use in total artificial joints, 219
Prostheses
frictional characterisation of explanted Charnley hip prostheses, 159

Rollers
film thinning factor for rollers of finite width under elastohydrodynamic conditions, 17
Ropes
fretting wear of a high-strength heavily work-hardened eutectoid steel, 51
Rough surfaces
the steady state sliding of rough surfaces, 81
Running-in
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39

Scuffing
evaluation of the plasticity index as a scuffing criterion, 123
Silicones
the effects of oxygen availability on the lubricating performance of a dimethyl silicone in the boundary regime, 25
Sliding
the roles of hardness in the sliding behavior of materials, 63
Sliding contacts
an investigation into the mechanisms of closed three-body abrasive wear, 133
Steady state sliding
the steady state sliding of rough surfaces, 81
Steels
fretting wear of a high-strength heavily work-hardened eutectoid steel, 51
Surface chemistry
limitations of thin films in EHD contacts with dispersed phase systems as lubricants, 71
Surface roughness
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39

Temperature effects
mechano–chemical model: reaction temperatures in a concentrated contact, 209
Three-body wear
an investigation into the mechanisms of closed three-body abrasive wear, 133
Traction oil
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39
Transfer layer formation
limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation, 1
Tribology
effects of surface roughness and type of oil on traction characteristics between steel rollers, 39

Unlubricated sliding
limitations on the use of ceramics in unlubricated sliding applications due to transfer layer formation, 1

Wear
the effect of sliding velocity on the friction and wear of UHMWPE for use in total artificial joints, 219
Wear mechanisms
the morphological attributes of wear particles — their role in identifying wear mechanisms, 115
Wear particles
the morphological attributes of wear particles — their role in identifying wear mechanisms, 115